

FIG. 1




FIG. 2

PRINT SETTING / DEFINITION OF ENTIRE JOB
PRINT SETTING / DEFINITION OF FIRST PAGE
IMAGE RENDERING COMMANDS OF FIRST PAGE
IMAGE RENDERING COMMANDS OF SECOND PAGE
IMAGE RENDERING COMMANDS OF THIRD PAGE
PRINT SETTING / DEFINITION OF FOURTH PAGE
IMAGE RENDERING COMMANDS OF FOURTH PAGE
⋮
PRINT SETTING / DEFINITION OF N-TH PAGE
IMAGE RENDERING COMMANDS OF N-TH PAGE

FIG. 3



FOLDER

PRINT SETTING / DEFINITION
FOR RETURN TO PRINT START
STATE OF FIRST PAGE

EDITING COMMAND FOR
ENLARGEMENT, REDUCTION,
ROTATION AND SHIFT

IMAGE RENDERING
COMMANDS OF FIRST PAGE

PRINT SETTING / DEFINITION
FOR RETURN TO PRINT START
STATE OF SECOND PAGE

EDITING COMMAND FOR
ENLARGEMENT, REDUCTION,
ROTATION AND SHIFT

IMAGE RENDERING COMMANDS
OF SECOND PAGE

PRINT SETTING / DEFINITION
FOR RETURN TO PRINT START
STATE OF THIRD PAGE

EDITING COMMAND FOR
ENLARGEMENT, REDUCTION,
ROTATION AND SHIFT

IMAGE RENDERING COMMANDS
OF THIRD PAGE

PRINT SETTING / DEFINITION
FOR RETURN TO PRINT START
STATE OF FOURTH PAGE

EDITING COMMAND FOR
ENLARGEMENT, REDUCTION,
ROTATION AND SHIFT

IMAGE RENDERING
COMMANDS OF FOURTH PAGE

PRINT SETTING / DEFINITION
FOR RETURN TO PRINT START
STATE OF N-TH PAGE

PRINT SETTING / DEFINITION
OF N-TH PAGE

IMAGE RENDERING COMMANDS
OF N-TH PAGE

PRINT SETTING / DEFINITION
FOR RETURN TO PRINT START
STATE OF SECOND PAGE

POST-RIP RASTER DATA OF
SECOND PAGE

PRINT SETTING / DEFINITION
FOR RETURN TO PRINT START
STATE OF M-TH PAGE

POST-RIP RASTER DATA OF
M-TH PAGE

PRINT JOB CONTROL SCRIPT
FILE

FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8






FIG. 10




FIG.11

<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ Template ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Style 1</td></tr> <tr><td>Style 2</td></tr> <tr><td>Style 3</td></tr> <tr><td> </td></tr> <tr><td> </td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	Style 1	Style 2	Style 3			<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> Style 2 PRINT SETTING </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 5 </div> </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 20px;"> ☆ PRINT DATA 3 PAGES IN TOTAL </div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;"> PRINT </div>
Style 1							
Style 2							
Style 3							
<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ e-Filing History ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>FOLDER M-2</td></tr> <tr><td>FOLDER M-1</td></tr> <tr><td>FOLDER M</td></tr> <tr><td>FOLDER M+1</td></tr> <tr><td>FOLDER M+2</td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	FOLDER M-2	FOLDER M-1	FOLDER M	FOLDER M+1	FOLDER M+2	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> PREVIEW </div> <div style="height: 200px; border: 1px solid black; margin-top: 10px;"></div> </div>	
FOLDER M-2							
FOLDER M-1							
FOLDER M							
FOLDER M+1							
FOLDER M+2							

FIG.12

<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ Template ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Style 1</td></tr> <tr><td>Style 2</td></tr> <tr><td>Style 3</td></tr> <tr><td> </td></tr> <tr><td> </td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	Style 1	Style 2	Style 3			<div style="border: 1px solid black; padding: 10px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> Style 3 PRINT SETTING </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 5 </div> </div> <div style="text-align: center; margin-top: 20px;"> ☆ PRINT DATA 3 PAGES IN TOTAL </div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;"> PRINT </div>
Style 1							
Style 2							
Style 3							
<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ e-Filing History ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>FOLDER M-2</td></tr> <tr><td>FOLDER M-1</td></tr> <tr><td>FOLDER M</td></tr> <tr><td>FOLDER M+1</td></tr> <tr><td>FOLDER M+2</td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	FOLDER M-2	FOLDER M-1	FOLDER M	FOLDER M+1	FOLDER M+2	<div style="border: 1px solid black; padding: 10px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> PREVIEW </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER M-1 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER M+1 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER M-1 5 </div> </div> <div style="text-align: center; margin-top: 20px;"> ☆ PRINT DATA 3 PAGES IN TOTAL </div> </div>	
FOLDER M-2							
FOLDER M-1							
FOLDER M							
FOLDER M+1							
FOLDER M+2							

FIG.14





FIG. 15



<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> ☆ Template ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="height: 20px;">Style 1</td></tr> <tr><td style="height: 20px;">Style 2</td></tr> <tr><td style="height: 20px;">Style 3</td></tr> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> </table> <div style="display: flex; justify-content: space-between; border-top: 1px solid black; padding-top: 5px;"> Temporary Personal Shared </div>	Style 1	Style 2	Style 3			<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> Style 3 </div> <div style="border: 1px solid black; padding: 10px; text-align: center;"> <div style="font-size: 2em; margin-bottom: 10px;">123</div> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> PRINT SETTING 1 </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> NUMBER OF PRINT COPIES: 1 </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> COLOR : AUTO </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> DOUBLE-SIDE : Book </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> STAPLING : ON </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> PRINT SETTING 2 </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> HOLE PUNCH : OFF </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> Nin 1 : OFF </div>
Style 1								
Style 2								
Style 3								
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> ☆ e-Filing History ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="height: 20px;">FOLDER M-2</td></tr> <tr><td style="height: 20px;">FOLDER M-1</td></tr> <tr><td style="height: 20px;">FOLDER M</td></tr> <tr><td style="height: 20px;">FOLDER M+1</td></tr> <tr><td style="height: 20px;">FOLDER M+2</td></tr> </table> <div style="display: flex; justify-content: space-between; border-top: 1px solid black; padding-top: 5px;"> Temporary Personal Shared </div>	FOLDER M-2	FOLDER M-1	FOLDER M	FOLDER M+1	FOLDER M+2	<div style="border: 1px solid black; padding: 10px; margin-bottom: 10px;"> PREVIEW </div> <div style="border: 1px solid black; height: 150px; margin-bottom: 10px;"> </div> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> PRINT </div>		
FOLDER M-2								
FOLDER M-1								
FOLDER M								
FOLDER M+1								
FOLDER M+2								

FIG.17




FIG. 18




FIG. 21

<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ Template ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="height: 20px;">Style 1</td></tr> <tr><td style="height: 20px;">Style 2</td></tr> <tr><td style="height: 20px;">Style 3</td></tr> <tr><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	Style 1	Style 2	Style 3			<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> Style 3 PRINT SETTING </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 5 </div> </div> <div style="text-align: center; margin-top: 20px;"> ☆ PRINT DATA 3 PAGES IN TOTAL </div> </div>	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ e-Filing History ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="height: 20px;">FOLDER M-4</td></tr> <tr><td style="height: 20px;">FOLDER M-3</td></tr> <tr><td style="height: 20px;">FOLDER M-2</td></tr> <tr><td style="height: 20px;">FOLDER M-1</td></tr> <tr><td style="height: 20px;">FOLDER M</td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	FOLDER M-4	FOLDER M-3	FOLDER M-2	FOLDER M-1	FOLDER M
Style 1												
Style 2												
Style 3												
FOLDER M-4												
FOLDER M-3												
FOLDER M-2												
FOLDER M-1												
FOLDER M												
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 10px; width: 30%;"> <div style="text-align: center; margin-bottom: 10px;"> <div style="border: 1px solid black; padding: 2px;">ABC</div> <div style="display: flex; justify-content: space-between;"> FOLDER M-3 1 </div> </div> <div style="border: 1px solid black; padding: 10px; width: 30%;"> <div style="text-align: center; margin-bottom: 10px;"> </div> <div style="display: flex; justify-content: space-between;"> FOLDER M-1 1 </div> </div> <div style="border: 1px solid black; padding: 10px; width: 30%;"> <div style="text-align: center; margin-bottom: 10px;"> <div style="border: 1px solid black; padding: 2px; transform: rotate(45deg);">No Page</div> </div> <div style="display: flex; justify-content: space-between;"> FOLDER M-3 5 </div> </div> </div> <div style="text-align: center; margin-top: 10px;"> <div style="border: 1px solid black; padding: 2px 10px;">PRINT</div> </div> </div>												
<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> PREVIEW </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px;">☆ PRINT DATA</div> <div style="border: 1px solid black; padding: 5px;">3 PAGES IN TOTAL</div> </div> </div> </div>												

FIG.19




FIG.20




FIG.22

<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ Template ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Style 1</td></tr> <tr><td>Style 2</td></tr> <tr><td>Style 3</td></tr> <tr><td>Style 4</td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	Style 1	Style 2	Style 3	Style 4	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> Style 4 PRINT SETTING </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;"> SHARED 1 page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N page 1 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> FOLDER N-2 page 5 </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> SHARED 1 page 2 </div> </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 10px;"> ☆ PRINT DATA 5 PAGES IN TOTAL </div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center; margin-bottom: 5px;"> PRINT </div>	
Style 1							
Style 2							
Style 3							
Style 4							
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ e-Filing History ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>FOLDER M-2</td></tr> <tr><td>FOLDER M-1</td></tr> <tr><td>FOLDER M</td></tr> <tr><td>FOLDER M+1</td></tr> <tr><td>FOLDER M+2</td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	FOLDER M-2	FOLDER M-1	FOLDER M	FOLDER M+1	FOLDER M+2	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> PREVIEW </div> <div style="height: 150px; border: 1px solid black;"></div> </div>	
FOLDER M-2							
FOLDER M-1							
FOLDER M							
FOLDER M+1							
FOLDER M+2							

FIG.23




FIG.24

<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ Template ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Style 1</td></tr> <tr><td>Style 2</td></tr> <tr><td>Style 3</td></tr> <tr><td>Style 4</td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	Style 1	Style 2	Style 3	Style 4	<div style="border: 1px solid black; padding: 10px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> Style 4 PRINT SETTING </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;">SHARED 1 page 1</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">FOLDER N-2 page 1</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">FOLDER N page 1</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">FOLDER N-2 page 5</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">SHARED 1 page 2</div> </div> <div style="text-align: center; margin-top: 20px;"> ☆ PRINT DATA 5 PAGES IN TOTAL </div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;">PRINT</div>	
Style 1							
Style 2							
Style 3							
Style 4							
<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ☆ e-Filing History ☆ </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>FOLDER M-2</td></tr> <tr><td>FOLDER M-1</td></tr> <tr><td>FOLDER M</td></tr> <tr><td>FOLDER M+1</td></tr> <tr><td>FOLDER M+2</td></tr> </table> <div style="display: flex; justify-content: space-between; align-items: center;"> Temporary Personal Shared </div> </div>	FOLDER M-2	FOLDER M-1	FOLDER M	FOLDER M+1	FOLDER M+2	<div style="border: 1px solid black; padding: 10px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> PREVIEW </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;">FRONT COVER</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">SHARED 1 1</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">FOLDER M+1 1</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">FOLDER M+1 1</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">FOLDER M-1 5</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">BACK COVER</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">SHARED 2 2</div> </div> <div style="text-align: center; margin-top: 20px;"> ☆ PRINT DATA 5 PAGES IN TOTAL </div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;">PRINT</div>
FOLDER M-2							
FOLDER M-1							
FOLDER M							
FOLDER M+1							
FOLDER M+2							

FIG.25




FIG. 26




FIG. 27